

M/V "FOREST PANAMA" SHIP'S PARTICULARS

| | | | | | | | | |
|--|--|--|-----------------------------|--------------------------------|--|------------------------------|--|----------|
|  | | | SHIP'S NAME | | FOREST PANAMA | | | |
| | | | OWNER | | PANINI LTD TRUST COMPANY COMPLEX, AJELTAKE ROAD, AJELTEK ISLAND, MAJURO MH 96960, MARSHALL ISLANDS | | | |
| | | | MANAGING OPERATOR | | LEMISSOLER SHIPMANAGEMENT LTD. | | | |
| | | | CALL SIGN | | C6UX2 | | | |
| | | | FLAG | | BAHAMAS | | | |
| | | | PORT OF REGISTRY | | NASSAU | | | |
| | | | BUILT | | 1985 | | | |
| | | | IMO NUMBER | | 8404276 | | | |
| | | | BUILDER | | Rauma Shipyard, Finland Yard #294 | | | |
| | | | COMMUNICATION: | | | DELIVERED | | 01.04.85 |
| SAT.PHONE BRIDGE | | +870773158231 | | CLASS REGISTRATION NO | | LR 8404276 | | |
| TEXT SAT "C" (LRIT) | | 430937512 | | CLASSIFIC. SOCIETY | | Lloyd's Register of Shipping | | |
| TEXT SAT "C" | | | | TYPE OF VESSEL | | Ro-Ro | | |
| SSAS SAT "C" | | 01020138SKY6ACF | | MAIN DIMENSIONS: | | | | |
| e-MAIL | | forest.panama@lemissolerfteet.com | | L.O.A. | | 134.6 m | | |
| MMSI No. | | 8001131 | | L.B.P. | | 125.6 m | | |
| CARGO HOLD CAPACITY AND TANK TOP STRENGTH | | | BREADTH (MOULDED) | | 21.0 m | | | |
| NUMBER OF HOLDS | | 2 | | DEPTH (MOULDED) | | 114.5 m | | |
| Volume M ³ | | 16550.4 | | GROSS TONNAGE | | 10215 mt | | |
| GRAIN FT ³ | | 584471.9 | | NETT TONNAGE | | 8612 mt | | |
| TANK TOP STRENGTH | | 5.0 t/m | | SUEZ CANAL TON. | | n/a | | |
| BALLAST WATER | | | PANAMA CANAL TON. | | 8612 mt | | | |
| TOTAL | | 2981.7 | | AIRDRAFT: WATERLINE TO TOPMAST | | 40.0 m | | |
| CARGO HOLD No.3 | | N/A | | LIGHT VESSEL | | 4488 mt | | |
| GRAND TOTAL | | 2981.7 | | BUNKER CONSUMPTION | | | | |
| BUNKER CAPACITY | | | LADEN: 13.0 KNOTS | | 20.2MT | | | |
| H.F.O. 100% | | 922.3 m3 | | BALLAST: 13.0 KNOTS | | 18.9MT | | |
| M.G.O. 100% | | 97.1 m3 | | LADEN: 12.0 KNOTS | | 18.6MT | | |
| FRESH WATER 100% | | 141.9 m3 | | BALLAST: 12.0 KNOTS | | 17.4MT | | |
| DISTANCE | | | BALLASTING/DEBALLASTING | | | | | |
| DISTANCE FROM WATERLINE TO TOP OF HATCH COAMING (WLTHC) IN HEAVY BALLAST CONDITION | | 3.0 m | | IN PORT IDLE | | 1.4MT | | |
| FROM FORE END HOLD 1 TO AFT END HOLD 2 | | N/A | | IN PORT IDLE | | | | |
| WATERLINE TO VESSEL TOPMAST | | 40.0 m | | IN PORT WORKING | | 1.9MT | | |
| WATERLINE TO VESSEL TOPMAST | | 40.0 m | | MAIN ENGINE | | | | |
| KEEL TO TOPMAST | | 48.0 m | | MODEL | | Wartsila Vasa 16V32 | | |
| KEEL TO HATCH COAMING | | 7.5 m | | MAX OUTPUT BHP/KW/RPM | | 5520kw | | |
| CARGO HANDLING GEAR | | | NORMAL SERVICE RATING | | 4690kw | | | |
| CRANES ON DECK | | N/A | | PROPELLER | | | | |
| HATCHES | | | DIAMETER | | 3800mm | | | |
| NUMBER OF HATCHES | | 2 | | NUMBER OF BLADES | | 4 | | |
| TYPE OF HATCH COVERS | | Mac Gregor | | MATERIAL | | BRONZE | | |
| HATCH COVER STRENGTH | | n/a | | AUXILIARY ENGINES | | | | |
| DRAFTS AND DEADWEIGHT | | | NUMBER OF GENERATOR ENGINES | | 3 | | | |
| SUMMER DRAFT | | 6.715 m | | FRBD: 815 mm | | DWT: 9334 mt | | |
| TROPICAL DRAFT | | 6.853 m | | FRBD: 675 mm | | DWT: 9720 mt | | |
| WINTER DRAFT | | 6.575 m | | FRBD: 955 mm | | DWT: 9040 mt | | |
| FRESH WATER DRAFT | | 6.72 m | | FRBD: 677 mm | | DWT: 9341 mt | | |
| TROPICAL F.W. DRAFT | | 6.993 m | | FRBD: 537 mm | | DWT: 9710 mt | | |
| | | | | | | DISPL: 13822 mt | | |
| | | | | | | DISPL: 14200 mt | | |
| | | | | | | DISPL: 13528 mt | | |
| | | | | | | DISPL: 13829 mt | | |
| | | | | | | DISPL: 14198 mt | | |